


Standard and declination.

EXHIBIT U

Molar are Tipped to Flat declination



- 1) Teeth Position: Not Symmetrical  
2 in 170 N.W.H.
- 2) Camps Position for the Bi's & Molars

ORMCO PROPRIETARY RIGHTS ARE INCLUDED IN THE INFORMATION DISCLOSED HEREIN. NEITHER THIS DOCUMENT NOR THE INFORMATION DISCLOSED HEREIN SHALL BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR USED OR DISCLOSED FOR ANY OTHER PURPOSE EXCEPT AS SPECIFICALLY AUTHORIZED IN WRITING BY ORMCO CORPORATION.

Ormco Corporation  
1552 South Loop Hill Ave  
GLENORA CA 91740  
Tel. (909) 595 0100

Landmarks picked by Craig

File Sect4.ovs

N7940102L9R


Date 2/12/98

XXXXXXXXXX

Standard Red Occlusion -

EXHIBIT U

Molara is Trapped to Flat Occlusion



- 1) Tank Position: Not Symmetrical  
2b in 70 width
- 2) Camp Position for the Bi's & Molara

ORMCO PROPRIETARY RIGHTS ARE INCLUDED IN THE INFORMATION DISCLOSED HEREIN. NEITHER THIS DOCUMENT NOR THE INFORMATION DISCLOSED HEREIN SHALL BE REPRODUCED OR TRANSMITTED TO OTHER DOCUMENTS OR USED FOR ANY OTHER PURPOSE EXCEPT AS SPECIFICALLY AUTHORIZED IN WRITING BY ORMCO CORPORATION

Ormco Corporation

1302 South Lone Hill Ave  
GLENDORA, CA 91740  
Tel: (909) 966 0100

File

SecM.oys

Date

2/12/98

Landmarks picked by Craig

N79401806972

XXXXXXXXXX

2/12/98  
Craig Ribbel

☐ 16 with  
10 with

# STANDARD NAOCCLUSION

EXHIBIT U

2/13/98

Medio dental Width  
MANDIBULAR

Physicist Dim (Compression)	Time Dose	Temp Length	
11 — .225 5.72	5.65	5.65	
12 — .243 6.17	6.13	6.04	
13 — .272 6.91	7.15	6.05	6.95 20
14 — .280 7.11	6.81	5.61	6.35 20.01
15 — .275 6.99	6.78	6.32	6.10 20.01
16 — .440 11.18	11.26	10.07	11.4 11.48
17 — .419 10.64	9.77	9.77	10.4 10.9
	2.154	54.72	54.17
1 — .223 5.66	5.20	5.66	
2 — .258 6.55	6.64	6.55	
3 — .263 6.68	7.20	6.35	
4 — .290 7.37	7.85	7.66	
5 — .292 7.42	7.26	6.10	
6 — .446 11.33	11.34	10.91	
7 — .429 10.77		9.54	
	2.196	55.73	54.81
	4.350	110.50	110.98

STANDARD PAROCCLUSION

2/13/98

Mesio distal width  
MANDIBULAR2/12/98  
GARY DIBBEL□ 16 with  
NO WIDTH

	Physical Dim (Compaction)	True Dist	Top Lengths	
11	— .225	5.72	5.65	
12	— .243	6.17	6.10	
13	— .272	6.91	7.15	6.05
14	— .280	7.11	6.81	5.61
15	— .275	6.91	6.78	6.32
16	— .440	11.18	11.26	10.07
17	— .419	10.64		9.77
	<u>2.154</u>	<u>54.72</u>	<u>54.17</u>	
1	— .223	5.66	5.70	5.66
2	— .258	6.85	6.64	6.55
3	— .263	6.68	7.20	6.35
4	— .290	7.37	7.85	7.66
5	— .292	7.42	7.26	6.10
6	— .446	11.33	11.34	10.91
7	— .424	10.77		
	<u>2.196</u>	<u>55.73</u>		9.54
	<u>4.350</u>	<u>110.50</u>	<u>56.81</u>	
			<u>110.98</u>	

6.95 20

6.35 / 7.01


11.213 11.98

10.9 9.85 10.9

STANDARD MAL OCCLUSION

EXHIBIT U

Notes Tipped to Flat Ocul.



- Occlusal Height Corrected
- Curve in Interocclusal Pts.

ORMCO PROPRIETARY RIGHTS ARE INCLUDED IN THE INFORMATION DISCLOSED HEREIN. NEITHER THIS DOCUMENT NOR THE INFORMATION DISCLOSED HEREIN SHALL BE REPRODUCED OR TRANSMITTED TO OTHER DOCUMENTS OR USED OR DISCLOSED FOR ANY OTHER PURPOSE EXCEPT AS SPECIFICALLY AUTHORIZED IN WRITING BY ORMCO CORPORATION

Ormco Corporation

1302 South Lone Hill Ave  
GLENDORA, CA 91740  
Tel: (909) 598-0100

To:

Sect4.ovs

Date:

2/13/98


HANDWRITTEN  
CRAIG'S LANDMARKS

Corrected

XXXXXXXXXX

STANDARD PIAL OCCLUSION

Nolua Tipped to Flat Ocul.



- Occlusal Height Corrected
- Curve Intersection Pb.

ORMCO PROPRIETARY RIGHTS ARE INCLUDED IN THE INFORMATION DISCLOSED HEREIN. NEITHER THIS DOCUMENT NOR THE INFORMATION DISCLOSED HEREIN SHALL BE REPRODUCED OR TRANSMITTED TO OTHER DOCUMENTS OR USED OR DISCLOSED FOR ANY OTHER PURPOSE EXCEPT AS SPECIFICALLY AUTHORIZED IN WRITING BY ORMCO CORPORATION

Ormco Corporation  
1332 South Lowe Rd Ave  
GLENDORA, CA 91740  
Tel: 909.556.1100

File

Sect4.ovs

Date

2/13/98

HANDWRITTEN  
CRAIG'S LANDMARKS

Corrected

XXXXXXXXXX